

# **Declining hepatitis A seroprevalence: A global review and analysis**

<https://www.researchgate.net/publication/8095254>

DOI: 10.1017/S0950268804002857

Literature Review

## **Cited in:**

Epidemiology and Infection 132(6):1005-1022, 2004

### **Declining hepatitis A seroprevalence: A global review and analysis**

Kathryn H. Jacobsen and James S Koopman

George Mason University, Department of Global and Community Health,  
University of Michigan

## **Abstract**

Hepatitis A virus (HAV) is spread by faecal-oral contact or ingestion of contaminated food or water. Lifelong immunity is conferred by infection or vaccination, so anti-HAV seroprevalence studies can be used to indicate which populations are susceptible to infection. Seroprevalence rates are highly correlated with socioeconomic status and access to clean water and sanitation. Increasing household income, education, water quality and quantity, sanitation, and hygiene leads to decreases in HAV prevalence. Japan, Australia, New Zealand, Canada, the United States, and most European nations have low anti-HAV rates. Although anti-HAV rates remain high in most Latin American, Asian, and Middle Eastern nations, average seroprevalence rates are declining. Surveys from Africa generally indicate no significant decline in anti-HAV rates. Because the severity of illness increases with age, populations with a high proportion of susceptible adults should consider targeted vaccination programmes.

## **Reference**

B N Tandon, B. M. Gandhi, Y. K. Joshi Etiological spectrum of viral hepatitis and prevalence of hepatitis A and B virus infection in North India. Bulletin of the World Health Organisation 62(1):67-73,1984