

Characterization of the Effects of the Lipid Peroxidation Products 4-hydroxynonenal and 4-oxononenal on Hepatic Lipid Accumulation, VLDL Assembly, Secretion, and Microtubules: Relevance to Alcoholic Liver Disease

Cited in:

Thesis submitted to Faculty of the Graduate School of the University of Colorado for the degree of Doctor of Philosophy, Toxicology Program 2008; UMI Number: 3343397

Characterization of the Effects of the Lipid Peroxidation Products 4-hydroxynonenal and 4-oxononenal on Hepatic Lipid Accumulation, VLDL Assembly, Secretion, and Microtubules: Relevance to Alcoholic Liver Disease

Benjamin J. Stewart; University of Colorado Denver B. S. Brigham Young University, 2001. University of Colorado Health Sciences Center, ProQuest ; Published at University of Colorado Denver, 2008, 244 pages

Chronic ethanol consumption has been shown to disrupt several hepatic metabolic and transport pathways, potentially contributing to the lipid accumulation characteristic of alcoholic liver disease. Microtubule transport pathways play a central role in hepatic ...

Reference

Gandhi, B.M. and Raina, N.: Alcohol induced changes in lipids and lipoproteins. *Alcoholism* 8 (1) 29-32, 1984